brother
at your side

brother
at your side

Labelling Product Guide 2013

simply professional
QL LABEL PRINTERS

P-touch LABELS
TESTED
TO THE EXTREME

Introduction

Brother is the worldwide leader in labelling machines and label printers, and as such use our expertise to provide professional solutions to everyone, offering one of the broadest product line-ups in the labelling industry - from handheld portables to desktop and industrial models.

Whether it's for the office, industry or just around the home, Brother labels are one of the quickest and easiest ways to organise your documents, equipment, workspaces and more.

Contents

P-touch Professional Labelling Machines

Home/Small Office	4-7
Office	5-13
Electrician	14-17
PC	18-25

QL Professional Label Printers

Office	26-29
Industry	30-33

Consumables

TZe Tape	34
M Tape	35
DK Label & Tape	35



P-touch Professional Labelling Machines – Office

P-touch H105

Versatile, practical and really easy to use; the P-touch H105 is everything you could want in a handheld labelling machine.

- Easy-to-use label Auto Design function
- 9 font styles / 178 symbols / 7 frames
- Includes 12mm black on white tape (4m)
- Prints 3.5, 6, 9 & 12mm labels

P-touch PT-D200/200VP

The compact P-touch D200/D200VP is the ideal labelling machine to help you organise files, CD cases, shelves and other items in your office.

- Create stylish labels using built in 'Deco' template label function
- 14 fonts / 617 symbols / 97 frames
- Includes 12mm black on white tape (8m), AC adaptor and handy carry case (PT-D200VP only)
- Prints 3.5, 6, 9 & 12mm labels

P-touch H300

The portable P-touch H300 is the professional way to label items throughout your office such as files, archive folders, equipment and shelves, and the large print height makes it ideal to create signage labels. The PC style keyboard, large backlit graphic display and fast print speed ensure labelling is quick and effortless.

- Handheld design for ultimate portability
- Large easy-to-read graphic display with backlight
- Includes 18mm black on white label cassette
- Prints 3.5, 6, 9, 12 & 18mm labels

P-touch LABELS TESTED TO THE EXTREME



P-touch Professional Labelling Machines – Home/Small Office

Specification	PT-H105
SRP (incl. VAT)	-
Tape type	TZe
Tape width	3.5 / 6 / 9 / 12 mm
PC Connectable	-
Interface	-
Unique feature	Deco Mode design Label Dressor
Display	12 characters x 1 line
Keyboard layout	ABC
Cutter	Manual
Print method	Thermal Transfering
Max. print height	9mm
Print resolution (dpi)	180
Print speed (mm/sec)	20 mm/sec
Adapter type	AD-24ES
No./type of batteries	6 x AAA
Supplied:	Black on White 12mm (4m) Tape
Barcode printing	-
Fonts	1
Print sizes	3
Print widths	3
Print styles	9
Frames/Borders	8
Symbols	177
Underline	Yes
Programmable label length	Yes
Multiple line printing	2 lines
Vertical printing	Yes
Mirror printing	-
Flag mode	Yes
Block printing	-
No. of Blocks	-
Memory (No. of Characters)	720(80chrs x 9areas)
Max number of characters/label	80
Repeat printing	Yes
Rotate & Repeat mode	-
Sequential numbering	-
Print preview	Yes
Colour	White & Gray
Weight	390g
Dimensions (w x d x h) mm	110 x 207 x 59mm

P-touch Professional Labelling Machines – Office

Specification	PT-D200/200VP	PT-H300
SRP (incl. VAT)	-	-
Tape type	TZe	TZe
Tape width	3.5 / 6 / 9 / 12 mm	3.5 / 6 / 9 / 12 / 18 mm
PC Connectable	-	No
Interface	-	-
Unique feature	Deco Mode design	Label Collection(55 kinds), Auto Format
Display	15 characters x 1 line	15 charcaters x 3 lines
Keyboard layout	QWERTY	QWERTY
Cutter	Manual	Manual
Print method	Thermal Transfering	Thermal Transfering
Max. print height	9mm	15.8mm
Print resolution (dpi)	180	180
Print speed (mm/sec)	20 mm/sec	20 mm/sec
Adapter type	AD-24ES	AD-E001
No./type of batteries	6 x AAA	6 x AA, Li-ion rechargeable battery BA-E001
Supplied	Black on White 12mm (8m) Tape Carry Case (PT-D200VP) AC Adaptor(PT-D200VP)	18mm Black on White (4m) Tape
Barcode printing	-	Yes
Fonts	14	14
Print sizes	3	7
Print widths	3	3
Print styles	10	10
Frames/Borders	97	99
Symbols	617	617
Underline	Yes	Yes
Programmable label length	Yes	Yes
Multiple line printing	2 lines	5 lines
Vertical printing	Yes	Yes
Mirror printing	Yes	Yes
Flag mode	-	Yes
Block printing	-	Yes
No. of Blocks	-	5
Memory (No. of Characters)	720(80chrs x 30areas)	200(max. 50areas, 2,800chrs)
Max number of characters/label	80	200
Repeat printing	Yes	Yes
Rotate & Repeat mode	-	Yes
Sequential numbering	Yes (1-9)	Yes
Print preview	Yes	Yes
Colour	White & Gray	Black & Grey
Weight	490g	670g
Dimensions (w x d x h) mm	165 x 155 x 68mm	132 x 214 x 66mm

P-touch Professional Labelling Machines – Office

P-touch 2030VP

The compact size and lightweight design of the P-touch 2030VP make it ideal to share with your work colleagues. The many fonts, styles and frames ensure clear labelling of CD/DVD cases, files and shelves. The new Label Collection feature makes common labelling tasks quick and easy!

- Graphic display with label preview
- Large variety of fonts, type styles, frames and symbols
- Includes 18 mm black on white label cassette (4m), AC adapter and handy carry case.
- Prints 3.5, 6, 9, 12 and 18 mm labels

P-touch 2730VP

The feature packed P-touch 2730VP prints up to 7 lines of text, and includes a range of built-in fonts, frames and symbols. With the option of PC connectivity you'll be able to print barcodes, graphics, logos and icons. With many easy-to-use features and the new Label Collection feature, creating labels, whenever and wherever required, has never been easier!

- PC connection - design and print labels from your PC
- Easy-to-read backlit graphic LCD display
- Includes 24 mm black on white label cassette (4m), AC adapter and handy carry case.
- Prints 3.5, 6, 9, 12, 18 and 24 mm labels

P-touch 3600

With a print speed of 20mm/second and a print resolution of 360dpi, the P-touch 3600 produces excellent quality professional labels, helping you achieve a better organised working environment. The large semi-graphical LCD display allows you to preview up to 20 characters on 3 lines.

- Multi-function cutter – capable of printing a strip of labels that is half-cut and ready to peel easily
- Rotate & print function for a continuous "wrap around" label
- Includes 24mm black on white tape (8m), USB cable, AC adaptor, label design software on CD-ROM
- Prints 6, 9, 12, 18, 24 & 36mm labels

P-touch Professional Labelling Machines – Office

Specification	PT-2030VP	PT-2730VP	PT-3600
SRP (incl. VAT)	-	-	-
Tape type	TZ / TZe	TZ / TZe	TZ / TZe
Tape width	3.5 / 6 / 9 / 12 / 18 mm	3.5 / 6 / 9 / 12 / 18 / 24 mm	6 / 9 / 12 / 18 / 24 / 36 mm
PC Connectable	No	Yes	Yes
Interface	-	USB	USB
Unique feature	Label Collection(55 kinds) Auto Format	Label Collection(55 kinds) Label Collection DL Feature (Can add 20 files) Time / Date printing Text Reminder Auto Format	-
Display	16 characters x 3 lines	16 characters x 3 lines Backlight	20 charcters x 3 lines
Keyboard layout	QWERTY	QWERTY	QWERTY
Cutter	Manual	Automatic	Automatic
Print method	Thermal Transfering	Thermal Transfering	Thermal Transfering
Max. print height	15.8mm	18.0mm	27.1mm
Print resolution (dpi)	180	180	360
Print speed (mm/sec)	10 mm/sec	10 mm/sec	20 mm/sec
Adapter type	AD-24ES	AD-24ES	AD-9100ES
No./type of batteries	6 x AA	8 x AA	N/A
Supplied	18mm Black on White (4m) Tape Carry Case AC Adaptor	24mm Black on White (4m) Tape Carry Case AC Adaptor USB cable CD-ROM label design software	24mm Black on White (8m) Tape AC Adaptor USB cable CD-ROM label design software
Barcode printing	Yes	Yes	Yes
Fonts	10	10	10
Print sizes	7	8	24
Print widths	4	5	4
Print styles	10	10	18
Frames/Borders	16	20	30
Symbols	253	253	449
Underline	Yes	Yes	Yes
Programmable label length	Yes	Yes	Yes
Multiple line printing	5 lines	7 lines	16 lines
Vertical printing	Yes	Yes	Yes
Mirror printing	Yes	Yes	Yes
Flag mode	-	-	-
Block printing	Yes	Yes	-
No. of Blocks	5	5	-
Memory (No. of Characters)	1,800(max. 9areas)	2,800(max. 99areas)	10,240(max. 100areas)
Max number of characters/label	462	462	1024
Repeat printing	Yes	Yes	Yes
Rotate & Repeat mode	-	-	-
Sequential numbering	Yes	Yes	Yes
Print preview	Yes	Yes	Yes
Colour	Black & White	Black & White	Silver & Blue
Weight	570g	880g	2kg
Dimensions (w x d x h) mm	164 x 216 x 58 mm	177 x 238 x 70 mm	237 x 302 x 104 mm

P-touch Professional Labelling Machines – Electrician

P-touch E100VP

The P–touch E100VP is a lightweight, handheld industrial labelling machine developed with easy-to-use functions for creating common label types quickly and easily. Complete with a practical carry case to hold the included AC adapter. There is also space for additional tape cassettes including strong-adhesive and flexible-ID tapes, which have been specially developed for use by electricians and other professionals.

- Dedicated functions to create the most common label types
- 168 symbols including common electrical/datacom symbols
- Includes 12mm black on yellow strong adhesive tape, carry case, AC adapter
- Prints 3.5, 6, 9 & 12mm labels

P-touch 7500VP

With its rugged, durable design and protective rubber hand grip, the P-touch 7500VP produces hard wearing laminated labels for tough working environments.

- Backlit LCD panel - ideal for low light working environments
- Dedicated label modes for common electrical labelling applications
- Includes 24mm black and yellow strong adhesive tape (8m), carry case, AC adaptor, neck strap
- Prints 6, 9, 12, 18 & 24mm labels

P-touch 7600VP

The P-touch 7600VP can withstand tough on-site conditions making it perfect for electrical contractors. Create custom content and upload to memory, so images and label designs are available whenever and wherever you want them.

- Built-in USB port for easy transfer of data
- Dedicated label modes for common electrical labelling applications
- Includes 24mm black on yellow strong adhesive tape tape (8m), 12mm black on white flexible ID tape (8m), carry case, built-in rechargeable battery pack, AC adaptor, USB cable, label design software on CD-ROM, neck strap
- Prints 6, 9, 12, 18, 24mm labels

P-touch 9600

The P-touch 9600 is an excellent example of one of our toughest desktop machines. Features include rotate printing function and the ability to design and download your favourite labels from your PC.

- Advanced PC to P-touch memory capability to quickly store and recall text
- Print up to 16 lines of text for detailed labels
- Includes 24mm black on white tape (8m), carry case, USB cable, rechargeable battery, AC adaptor, label design software on CD-ROM
- Prints 6, 9, 12, 18, 24 & 36mm labels

P-touch Professional Labelling Machines – Electrician

Specification	PT-E100VP	PT-7500VP	PT-7600VP	PT-9600
SRP (incl. VAT)	-	-	-	-
Tape type	TZe	TZ / TZe	TZ / TZe	TZ / TZe
Tape width	3.5 / 6 / 9 / 12 mm	3.5 / 6 / 9 / 12 mm	6 / 9 / 12 / 18 / 24 mm	6 / 9 / 12 / 18 / 24 / 36 mm
Interface	-	-	USB	USB, Serial
Unique feature				
Display	16 characters x 1 line Backlight	16 characters x 2 lines Backlight	16 characters x 2 lines Backlight	20 characters x 3 lines Backlight
Keyboard layout	ABC	ABC	ABC	QWERTY
Cutter	Manual	Manual	Manual	Automatic
Print method	Thermal Transfering	Thermal Transfering	Thermal Transfering	Thermal Transfering
Max. print height	9mm	18mm	18mm	27.1mm
Print resolution (dpi)	180	180	180	360
Print speed (mm/sec)	20 mm/sec	10 mm/sec	10 mm/sec	20 mm/sec
Adapter type	AD-24ES	AD-18ES	AD-18ES	AD-9100ES
No./type of batteries	6 x AAA	6 x AA	6 x AA	Ni-MH rechargeable included
Supplied	Black on Ywllow 12mm (8m) Tape	Black on Yellow Stong Adhesive 24mm (8m) Tape Carry Case AC Adaptor Neck/Hand Strap	Black on Yellow Stong Adhesive 24mm (8m) Tape Carry Case Built-in rechargeable battery pack AC Adaptor Neck/Hand Strap USB cable CD-ROM label design software	Black on White 24mm (8m) Tape Carry Case Rechargeable battery AC Adaptor USB cable CD-ROM label design software
Barcode printing	-	Yes	Yes	Yes
Fonts	1	1	1	10
Print sizes	3	7	7	24
Print widths	3	4	4	4
Print styles	9	6	6	12
Frames/Borders	1	14	14	30
Symbols	168	164	164	449
Underline	Yes	Yes	Yes	Yes
Programmable label length	Yes	Yes	Yes	Yes
Multiple line printing	2 lines	7 lines	7 lines	16 lines
Vertical printing	Yes	Yes	Yes	Yes
Mirror printing	-	Yes	Yes	Yes
Flag mode	Yes	Yes	Yes	-
Block printing	-	Yes	Yes	Yes
No. of Blocks	-	50	50	51
Memory (No. of Characters)	720(80chrs x 9areas)	2,800(max. 10areas)	2,800(max. 10areas)	10,240(max. 100areas)
Max number of characters/label	80	500	500	1024
Repeat printing	Yes	Yes	Yes	Yes
Rotate & Repeat mode	Yes	Yes	Yes	-
Sequential numbering	-	Yes	Yes	Yes
Print preview	Yes	Yes	Yes	Yes
Colour	Orange & Black	Orange & Black	Orange & Black	Black
Weight	390g	610g	610g	2kg
Dimensions (w x d x h) mm	110 x 207 x 59mm	134 x 235 x 78 mm	134 x 235 x 78 mm	237 x 302 x 104 mm

P-touch Professional Labelling Machines – PC

P-touch 9700PC

The P-touch 9700PC is a high performance, PC compatible desktop labelling machine. Printing labels at speeds of up to 80mm per second or 360 x 720dpi print resolution (with HG tapes), it offers a flexible solution in the workplace.

- Print high quality durable barcode labels in an instant
- Advanced cutter – capable of printing a strip of labels that are half-cut and ready to peel easily
- Includes 36mm black on white TZ tape (8m), USB cable, AC adaptor, label design software on CD-ROM
- Prints 3.5, 6, 9, 12, 18, 24 & 36mm labels

P-touch LABELS TESTED TO THE EXTREME

P-touch Professional Labelling Machines – PC

Specification	PT-9700PC
SRP (incl. VAT)	-
Tape type	TZ / TZe / AL / HG / HGe
Tape width	3.5 / 6 / 9 / 12 / 18 / 24 / 36 mm
PC Connectable	Yes
Interface	USB, Serial
Unique feature	-
Display	-
Keyboard layout	-
Cutter	Automatic (and half cut)
Print method	Thermal Transfering
Max. print height	27.1mm
Print resolution (dpi)	360 (TZ/AL tape) 360 x 720 (High resolution mode HG tape) 360 x 180 (High speed mode HG tape)
Print speed (mm/sec)	20mm/sec (TZ/AL tape), 52mm/sec (High-speed mode HG tape) , 80mm/sec (High-speed draft mode HG tape)
Adapter type	AD-9100ES
No./type of batteries	N/A
Supplied	Black on White 24mm (8m) Tape USB cable AC Adaptor CD-ROM label design software
Barcode printing	Editor Software
Fonts	Windows Fonts
Print sizes	Windows Fonts
Print widths	Windows Fonts
Print styles	Windows Fonts
Frames/Borders	Editor Software
Symbols	Editor Software
Underline	Editor Software
Programmable label length	Yes
Multiple line printing	Editor Software
Vertical printing	Editor Software
Mirror printing	Editor Software
Flag mode	-
Block printing	-
No. of Blocks	-
Memory (No. of Characters)	-
Max number of characters/label	-
Repeat printing	Editor Software
Rotate & Repeat mode	-
Sequential numbering	Editor Software
Print preview	Editor Software
Colour	Silver, Black & Blue
Weight	1.2kg
Dimensions (w x d x h) mm	116 x 190 x 127mm

QL Professional Label Printers – Office

QL-570

Designed to fit neatly onto your desk without occupying much space, the QL-570 has high print resolution, making it ideal for printing quality logos, images and text onto your labels, quickly and easily.

- High quality with 300 x 600dpi resolution printing
- Professional – built-in automatic label cutter leaves a clean cut edge
- Prints continuous length rolls or pre sized die cut labels
- Includes Standard address labels (100 labels), 62mm continuous length tape (8m), USB cable, label design software on CD-ROM
- Prints 12mm - 62mm wide labels

QL-700

The Brother QL-700 label printer offers an easy way to print professional looking labels for a wide range of uses throughout the workplace. Windows users simply need to connect the USB cable, run the software from the pop-up message, then design and print your label with “P-touch Editor Lite” label design software inside the machine.

- Built-in label design software, no software or drivers need to be installed
- Quick and effective – prints up to 93 labels per minute
- Professional – built-in automatic label cutter leaves a clean cut edge
- Prints continuous length rolls or pre sized cut labels
- Includes Standard address labels (100 labels), 62mm continuous length tape (8m), USB cable, label design software on CD-ROM
- Prints 12mm – 62mm wide labels

QL-710W

The QL-710W is wireless LAN-ready so allowing everyone in the office to print labels from the same printer. Everyone can benefit from becoming well-organised with neatly labelled storage areas, projects and desk spaces.

- Wireless LAN-ready, great for sharing
- Quick and effective – prints up to 93 labels per minute
- Professional – built-in automatic label cutter leaves a clean cut edge
- Prints continuous length rolls or pre sized cut labels
- Includes Standard address labels (100 labels), 62mm continuous length tape (8m), USB cable, label design software on CD-ROM
- Prints 12mm – 62mm wide labels

QL-720W

The QL-720NW is the professional solution for labelling on demand having both wired and wireless networking. Everyone can benefit from becoming well-organised with neatly labelled storage areas, projects and desk spaces. In addition, serial port connection enable further professional usage.

- Network-ready(both wired and wireless), perfect for sharing
- Quick and effective - prints up to 93 labels per minute*
- Professional – built-in automatic label cutter leaves a clean cut edge
- Prints continuous length rolls or pre sized die cut labels
- Includes Standard address labels (100 labels), 62mm continuous length tape (8m), USB cable, label design software on CD-ROM
- Prints 12mm - 62mm wide labels

simply professional
QL LABEL PRINTERS



QL Professional Label Printers – Office

Specification	QL-570	QL-700	QL- 710W	QL- 720NW
SRP	-	-	-	
Label type	DK	DK	DK	DK
Label Width	12/29/38/50/54/62 mm Continuous Die-Cut (10 formats)	12/29/38/50/54/62 mm Continuous Die-Cut (10 formats)	12/29/38/50/54/62 mm Continuous Die-Cut (10 formats)	12/29/38/50/54/62 mm Continuous Die-Cut (10 formats)
PC Connectable	Die-Cut (10 formats)	Yes	Yes	Yes
Interface	USB	USB	Wireless LAN	USB, Serial, Ethernet, Wireless LAN
ESC/P Compatible	-	-	Yes	Yes
Network-ready	-	-	Yes	Yes
Unique feature		Built-in label design software "P-touch Editor Lite"		Built-in fonts (bitmap:5, outline:3)
Hardware - Cutter	Automatic	Automatic	Automatic	Automatic
Hardware - Display	-	-	-	-
Print method	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal
Max Print Height	59mm	59mm	59mm	59mm
Max Print Length	1m	1m	1m	1m
Print Resolution (dpi)	300 x 600	300 x 600	300 x 600	300 x 600
Print speed (mm/sec)	110 mm/sec	150 mm/sec	150 mm/sec	150 mm/sec
Print speed (labels/min)	68 labels/min	93 labels/min	93 labels/min	93 labels/min
Power Supply	Built-in	Built-in	Built-in	Built-in
Supplied	Standard address labels (100 labels) 62mm Black on White continuous length tape (8m) USB cable CD-ROM label design software	Standard address labels (100 labels) 62mm Black on White continuous length tape (8m) USB cable CD-ROM label design software	Standard address labels (100 labels) 62mm Black on White continuous length tape (8m) USB cable CD-ROM label design software	Standard address labels (100 labels) 62mm Black on White continuous length tape (8m) USB cable CD-ROM label design software
Barcode printing	Editor Software	Editor Software	Editor Software	Editor Software
Vertical Printing	Editor Software	Editor Software	Editor Software	Editor Software
Mirror Printing	Editor Software	Editor Software	Editor Software	Editor Software
Programmable Label Length	Editor Software	Editor Software	Editor Software	Editor Software
Sequential Numbering	Editor Software	Editor Software	Editor Software	Editor Software
Colour	Black & Silver	Black & White	Black and White	Black
Weight	1.14kg	1.12kg	1.2kg	1.2kg
Dimensions (w x d x h) mm	133 x 208 x 143mm	128 x 221x 153mm	128 x 236x 153mm	128 x 236x 153mm

QL Professional Label Printers – Industry

QL-650TD

The QL-650TD gives you the option of printing your labels away from the PC. Current or future dates and time can be included, perfect for food preparation and medical/ laboratory environments.

- Incorporates built-in clock and control panel - use with or without a PC
- Quick and effective - prints up to 56 labels per minute*
- Prints continuous length rolls or pre sized die cut labels
- Includes 24mm round labels (200 labels), 62mm continuous length tape (8m), USB cable, label design software on CD-ROM
- Prints 12mm - 62mm wide labels

QL-1060N

The QL-1060N is Brother's flagship model. Printing labels up to 102mm wide, and at speeds of 110mm/second, this networked label printer can be placed away from your PC, allowing labels on demand in different locations.

- Network-ready, perfect for sharing or printing away from the PC
- High quality 300 x 300dpi resolution print
- Prints continuous length rolls or pre sized die cut labels
- Includes large shipping labels (40 labels), 62mm continuous length tape (8m), USB cable, label tray, label design software on CD-ROM
- Prints 12mm - 102mm wide labels

* Based on standard address labels

simply professional
QL LABEL PRINTERS

QL Professional Label Printers – Industry

Specification	QL-650TD	QL-1060N
SRP	-	-
Label type	DK	DK
Label width	12/29/38/50/54/62 mm Continuous Die-Cut (10 formats)	12/29/38/50/54/62/102 mm Continuous Die-Cut (12 formats)
PC Connectable	Yes	Yes
Interface	USB, Serial	USB, Serial, Ethernet
ESC/P Compatible	Yes	Yes
Network-ready	-	Yes
Unique feature	Time / Date printing	Built-in fonts(bitmap:5, outline:3)
Hardware - Cutter	Automatic	Automatic
Hardware - Display	Yes	-
Print method	Direct Thermal	Direct Thermal
Max Print Height	59mm	98.6mm
Max Print Length	1m	3m
Print Resolution (dpi)	300	300
Print speed (mm/sec)	90 mm/sec	110 mm/sec
Print speed (labels/min)	56 labels/min	69 labels/min
Power Supply	Built-in	Built-in
Supplied	24mm Round labels (200 labels) 62mm Black on White continuous length tape (8m) USB cable CD-ROM label design software	Large shipping labels (40 labels) 62mm Black on White continuous length tape (8m) USB cable CD-ROM label design software Label Tray
Barcode printing	Editor Software	Editor Software
Vertical Printing	Editor Software	Editor Software
Mirror Printing	Editor Software	Editor Software
Programmable Label Length	Editor Software	Editor Software
Sequential Numbering	Editor Software	Editor Software
Colour	Black	Black & Silver
Weight	1.3kg	1.7kg
Dimensions (w x d x h) mm	146 x 196 x 152mm	170 x 220 x 148mm

TZ Tape Summary

3.5 mm	6 mm	9 mm	12 mm	18 mm	24 mm	36 mm
Standard Laminated - 8m						
	TZe-111	TZe-121	TZe-131	TZe-141	TZe-151	TZe-161
			TZe-132			
			TZe-133			
			TZe-135	TZe-145		
	TZe-211	TZe-221	TZe-231	TZe-241	TZe-251	TZe-261
			TZe-231S*			
		TZe-222	TZe-232	TZe-242	TZe-252	TZe-262
		TZe-223	TZe-233	TZe-243	TZe-253	TZe-263
			TZe-334	TZe-344	TZe-354	
	TZe-315	TZe-325	TZe-335	TZe-345	TZe-355	TZe-365
		TZe-421	TZe-431	TZe-441	TZe-451	TZe-461
			TZe-431S*			
			TZe-435			
		TZe-521	TZe-531	TZe-541	TZe-551	TZe-561
			TZe-535		TZe-555	
	TZe-611	TZe-621	TZe-631	TZe-641	TZe-651	TZe-661
		TZe-721	TZe-731	TZe-741	TZe-751	
Fluorescent Laminated - 5m						
			TZe-B31		TZe-B51	
			TZe-C31		TZe-C51	
Matt Laminated - 8m						
			TZe-M31			
			TZe-MQL35**			
			TZe-MQP35**			
			TZe-MQG35**			
Metallic Laminated - 8m						
			TZe-M931		TZe-M951	TZe-M961
Non-Laminated - 8m						
TZe-N201		TZe-N221	TZe-N231	TZe-N241	TZe-N251	
Flexible ID Laminated - 8m						
	TZe-FX211	TZe-FX221	TZe-FX231	TZe-FX241	TZe-FX251	TZe-FX261
	TZe-FX611	TZe-FX621	TZe-FX631	TZe-FX641	TZe-FX651	TZe-FX661
Strong Adhesive Laminated - 8m						
		TZe-S121	TZe-S131	TZe-S141	TZe-S151	
	TZe-S211	TZe-S221	TZe-S231	TZe-S241	TZe-S251	TZe-S261
		TZe-S621	TZe-S631	TZe-S641	TZe-S651	
Fabric - 3m						
			TZe-FA3	TZe-FA4B		
Security Laminated - 8m						
				TZe-SE4		
High Grade Laminated *** - 8m						
			HGe-131V5		HGe-151V5	
			HGe-231V5		HGe-251V5	HGe -261V5
			HGe-631V5		HGe-651V5	
			HGe-M931V5		HGe-M951V5	

Actual tape colours may differ slightly from the printed colours. The availability of TZ tapes may also vary in different countries.

* Tape length is 4m / ** Tape length is 5m / ***Only for use with the PT-9700PC or PT-9800PCN

M Tape Summary

9mm	12mm
Non-Laminated - 4m	
M-K221S	**M-K231S**
Non-Laminated- 8m	
M-K221	**M-K231**
M-K222	**M-K232**
M-K223	**M-K233**
M-K521	**M-K531**
M-K621	**M-K631**

DK Label & Tape Summary

DK Die-Cut Labels	Material	Colour	Size	Item No.
Standard address label (400/roll)	Paper	White	29 x 90 mm	DK-11201
Large address label (400/roll)	Paper	White	38 x 90 mm	DK-11208
Small address label (800 roll)	Paper	White	29 x 62 mm	DK-11209
Shipping label (300/roll)	Paper	White	62 x 100 mm	DK-11202
Barcode label (600/roll)	Paper	White	102 x 51 mm	DK-11240*
Large shipping label (200/roll)	Paper	White	102 x 152 mm	DK-11241*
File folder label (300/roll)	Paper	White	17 x 87 mm	DK-11203
Multi-purpose label (400/roll)	Paper	White	17 x 54 mm	DK-11204
Square label (1000/roll)	Paper	White	23 x 23 mm	DK-11221
CD/DVD label (100/roll)	Film	White	58 mm	DK-11207
Round label (1200/roll)	Paper	White	12 mm	DK-11219
Round label (1000/roll)	Paper	White	24 mm	DK-11218
DK Continuous-Length Tapes - 30.48m				
Continuous-length	Paper	White	12 mm	DK-22214
Continuous-length	Paper	White	29 mm	DK-22210
Continuous-length	Paper	White	38 mm	DK-22225
Continuous-length	Paper	White	50 mm	DK-22223
Continuous-length	Paper, non-adhesive	White	54 mm	DK-N55224
Continuous-length	Paper	White	62 mm	DK-22205
Continuous-length	Paper, removable	White	62 mm	DK-44205
Continuous-length	Paper, removable	Yellow	62 mm	DK-44605
Continuous-length	Paper	White	102 mm	DK-22243*
DK Continuous-Length Tapes - 15.24m				
Continuous-length	Film	White	29 mm	DK-22211
Continuous-length	Film	White	62 mm	DK-22212
Continuous-length	Film	Yellow	62 mm	DK-22606
Continuous-length	Film	Clear	62 mm	DK-22113
*QL-1050 & QL-1060N				